



***NEPHELIUM LAPPACEUM* SEED AS NATURAL
COAGULANT/FLOCCULANT FOR LANDFILL
LEACHATE TREATMENT**

by

NUR SYAHIRAH BINTI RAHMAT

This dissertation is submitted to

UNIVERSITI SAINS MALAYSIA

as partial fulfillment of requirements for the degree of

**MASTER OF SCIENCE
(ENVIRONMENTAL ENGINEERING)**

**School of Civil Engineering
Engineering Campus
Universiti Sains Malaysia**

July 2017

ACKNOWLEDGEMENTS

In the name of ALLAH, the most merciful and the most gracious. Thank you, ALLAH, for giving me an opportunity to pursue this course and for good health that You give me in order to do this research. This work could not have been possible without following persons and institution that I sincerely acknowledge.

Firstly, I would like to express my highest gratitude to my supervisor, Prof. Dr. Hamidi Abdul Aziz for giving me a chance to conduct this research and for giving me many useful advices and knowledge regarding this field.

I would like to thank all post-graduate students who are also under the same supervisor as mine especially to Puan Farah and Miss Farhana for giving me ideas and advices regarding my projects and thesis writing. Not to forget, undergraduate student, Natasha for always helping me sampling the landfill leachate at APLS.

A special thanks to staffs of School of Civil Engineering, USM; Puan Shamsiah, Encik Mohad, Encik Zaini, dan Encik Nizam for lending me their precious time in order to help me doing this research. I also want to thank my classmates, Aini, Amilin, Zaidin, Izyan, Luqman, Ganga, and Salmah for sharing me knowledge and helping me out with this research.

Last but not least, I want to thank my parents, Encik Rahmat and Puan Zuraidah, for giving me words of wisdom and supporting me whenever I was having a rough time. Without them, this research cannot be realized.

Table of Contents

ACKNOWLEDGEMENTS	i
Table of Contents.....	ii
List of Figures	vi
List of Tables.....	ix
List of Abbreviations.....	xi
ABSTRAK	xii
ABSTRACT.....	xiv
CHAPTER 1 INTRODUCTION	1
1.1 Research Background.....	1
1.2 Problem Statement	3
1.3 Objectives	5
1.4 Scope of Work.....	6
1.5 Dissertation Outline.....	7
CHAPTER 2 LITERATURE REVIEW	8
2.1 Solid waste management	8
2.2 Landfill	9
2.3 Landfill Leachate Generation and Characteristics	11
2.4 Landfill Leachate Treatment	14
2.5 Coagulation and Flocculation Process	17
2.5.1 Coagulation	19
2.5.2 Flocculation.....	21
2.5.3 Colloidal System	22
2.5.6 Factor Affecting Coagulation and Flocculation.....	24
2.6 Coagulant and Flocculant.....	25
2.6.1 Coagulant	25

2.6.2	Flocculant	26
2.6.3	Natural Coagulant/Flocculant	27
2.7	Tin Tetrachloride (SnCl_4)	28
2.8	Nephelium lappaceum	29
2.8.1	Related Studies on Nephelium lappaceum.....	31
2.9	Zeta Potential.....	32
2.9.1	Isoelectric Point (IEP) and Point of Zero Charge (PZC)	33
2.10	Sludge Characterization	33
2.10.1	Sludge Volume Index (SVI)	34
2.10.2	Sludge Settling Velocity (Vs)	35
2.11	Summary of Literature Review.....	35
CHAPTER 3 METHODOLOGY		37
3.1	Introduction	37
3.2	Research Outline	38
3.3	Instrumentation and Chemical Reagents	40
3.4	Leachate Sampling and Storage	42
3.5	Leachate Characterization	45
3.6	Extraction and Characterization of Nephelium lappaceum seed.....	45
3.7	Preparation of SnCl_4	47
3.8	Determination of Effect of Zeta Potential and Particle Size on Leachate and Nephelium lappaceum seed.....	49
3.9	Coagulation – Flocculation Process	50
3.9.1	Determination of Best pH Condition	51
3.9.2	Determination of Best Coagulant Dosage.....	52
3.10	Determine the Possibility of Reducing SnCl_4 as coagulant with Nephelium lappaceum seed as flocculant	52
3.10	Floc Characterization.....	53
3.11	Analytical Procedures	55

CHAPTER 4 RESULTS AND DISCUSSION	60
4.1 Description	60
4.2 Leachate characterization	60
4.2.1 Temperature	62
4.2.2 pH.....	63
4.2.3 Dissolved oxygen (DO).....	63
4.2.4 Chemical Oxygen Demand (COD)	63
4.2.5 Biochemical Oxygen Demand (BOD ₅).....	64
4.2.6 Ratio of BOD ₅ /COD	65
4.2.7 Ammoniacal Nitrogen (NH ₃ -N).....	65
4.2.8 Suspended Solids (SS)	66
4.2.9 Total Dissolved Solids (TDS)	66
4.2.10 Colour.....	67
4.2.11 Zeta Potential	67
4.2.13 Particle Size of APLS Leachate	68
4.3 Nephelium Lappaceum Seeds Characterization	69
4.3.1 pH.....	69
4.3.2 Zeta Potential	70
4.3.3 Particle Size.....	70
4.3.4 Molecular Weight.....	71
4.3.5 Functional Groups	72
4.3.6 Surface Morphology.....	75
4.4 Characterization Study on Zeta Potential and Particle Size as a Function of pH	77
4.4.1 Leachate	77
4.4.2 Nephelium lappaceum seeds	80
4.5 Determination of Best Operating Condition (Optimum pH and Dosage) for Nephelium lappaceum seed and SnCl ₄ in Coagulation Process	83

4.5.1	Best Operating Condition for Nephelium lappaceum seed as sole coagulant	83
4.5.2	Best Operating Condition for SnCl ₄ as sole coagulant	91
4.6	Pollutants Removal by SnCl ₄ as coagulant and Nephelium lappaceum seeds as Flocculant.....	98
4.6.1	Colour.....	98
4.6.2	Suspended Solids (SS)	100
4.6.3	Chemical Oxygen Demand (COD)	101
4.6.4	Possibility of SnCl ₄ Reduction	103
4.7	Floc Characterization	104
4.7.1	Floc Size.....	105
4.7.2	Density	106
4.7.3	Functional Groups	107
4.7.4	Surface Morphology.....	112
4.7.5	Sludge Volume Index (SVI)	114
4.7.6	Sludge Settling Velocity (Vs)	118
CHAPTER 5 CONCLUSION AND RECOMMENDATION.....		121
5.1	Conclusion and Summary	121
5.2	Recommendation.....	124
References		125
APPENDICES		142

List of Figures

	Content	Page
Figure 2.1	Interaction between two particles using DVLO theory (Source: NCKU, 2017)	23
Figure 2.2	<i>Nephelium lappaceum</i> fruits	30
Figure 3.1	Research Flowchart	39
Figure 3.2	Figure 3.2: Location of APLS (Source: Google Map, 2017)	43
Figure 3.3	Leachate sampling at the leachate collection pond	44
Figure 3.4	<i>Nephelium lappaceum</i> seeds	46
Figure 3.5	Capillary cell. Source: Lab Bulletin (https://www.labbulletin.com/articles/Malvern-Instruments-new-improved-folded-capillary-cell-enhances-zeta-potential-measurement)	49
Figure 4.1	Plot of particle size of APLS leachate obtained from the Malvern Mastersizer 2000	68
Figure 4.2	<i>Nephelium lappaceum</i> seed particle size distribution	71
Figure 4.3	FTIR spectra of <i>Nephelium lappaceum</i> seed	72
Figure 4.4	Surface morphology of <i>Nephelium lappaceum</i> seed at (a) 1,000x and (b) 3,000x magnification	76
Figure 4.5	Zeta potentials of leachate as a function of pH	78
Figure 4.6	Particle size of APLS landfill leachate as a function of pH	79
Figure 4.7	Zeta potential of <i>Nephelium lappaceum</i> seed as a function of pH	81

Figure 4.8	Particle size of <i>Nephelium lappaceum</i> seed as a function of pH	82
Figure 4.9	Effect of pH on SS, colour, and COD removal efficiency at a constant dosage of <i>Nephelium lappaceum</i> seed at 1.5 g/L	84
Figure 4.10	pH control for <i>Nephelium lappaceum</i> seed on SS, colour, and COD removal efficiency	85
Figure 4.11	<i>Nephelium lappaceum</i> seed solution with milky colour	86
Figure 4.12	Removal efficiencies of SS, colour, and COD with various dosages of <i>Nephelium lappaceum</i> seed at pH 6	88
Figure 4.13	pH control for SnCl ₄	92
Figure 4.14	Effect of pH on SS, colour, and COD removal efficiency at a constant dosage of SnCl ₄ at constant dosage of 10.5 g/L	93
Figure 4.15	Removal efficiencies of SS, colour, and COD with various dosages of SnCl ₄ at constant pH 7	96
Figure 4.16	Colour removal efficiencies with various dosages of SnCl ₄ as coagulant and <i>Nephelium lappaceum</i> seed as flocculant	99
Figure 4.17	SS removal efficiencies with various dosages of SnCl ₄ as coagulant and <i>Nephelium lappaceum</i> seed as flocculant	100
Figure 4.18	COD removal efficiencies with various dosages of SnCl ₄ as coagulant and <i>Nephelium lappaceum</i> seed as flocculant	102
Figure 4.19	Comparison of pollutants removals at best conditions of SnCl ₄ with and without <i>Nephelium lappaceum</i> seed	103
Figure 4.20	Particle sizes of raw leachate and sludge of SnCl ₄ with and without <i>Nephelium lappaceum</i> seed	105
Figure 4.21	FTIR spectra of flocs when applying 10.5 g/L of SnCl ₄ as sole coagulant	107

Figure 4.22	FTIR spectra of flocs when applying 8.4 g/L of SnCl ₄ as coagulant and 3 g/L of <i>Nephelium lappaceum</i> seed as flocculant	109
Figure 4.23	Surface morphology of floc when using 10.5 g/L of SnCl ₄ as sole coagulant (a) 3000x magnification (b) 10000x magnification	112
Figure 4.24	Surface morphology of floc when using 8.4 g/L of SnCl ₄ with 3 g/L <i>Nephelium lappaceum</i> seed as flocculant (a) 1000x magnification (b) 3000x magnification	114
Figure 4.25	SVI of various dosages of SnCl ₄	115
Figure 4.26	SVI of various dosages of <i>Nephelium lappaceum</i> seed as flocculant with constant dosage of SnCl ₄ at 8.4 g/L	116
Figure 4.27	Comparison of SVI values between SnCl ₄ as coagulant without and with <i>Nephelium lappaceum</i> seed as flocculant	117
Figure 4.28	Sludge settling velocity of various dosages of SnCl ₄	118
Figure 4.29	Sludge settling velocity of combination of 8.4 g/L of SnCl ₄ as coagulant with various dosages of <i>Nephelium lappaceum</i> seed as flocculant	119
Figure 4.30	Comparison of Vs values between SnCl ₄ without and with <i>Nephelium lappaceum</i> seed as flocculant	120

List of Tables

	Content	Page
Table 2.1	Number of operating and closed landfills in Malaysia	10
Table 2.2	Characteristics of landfill leachate respective to its age. (Source: Lehmann, 2007; Ghafari et al., 2010; Davis and Cornwell, 2013)	12
Table 2.3	Landfill leachate discharge standards in Malaysia	13
Table 2.4	Various landfill leachate treatments	14
Table 2.5	Previous study on characteristics of APLS leachate	16
Table 2.6	Studies on coagulation - flocculation process in landfill leachate treatment using various coagulants	18
Table 2.7	Mechanisms in coagulation - flocculation process (Sahu & Chaudhari, 2013)	20
Table 2.8	Sludge settling characteristics (Patel and Vashi, 2012)	34
Table 3.1	List of instruments used in this research	40
Table 3.2	Chemical reagents used in this research	42
Table 3.3	Summarization of analytical procedures	56
Table 4.1	APLS raw leachate characteristics	61
Table 4.2	Previous and current study done on characteristics of APLS landfill leachate	62
Table 4.3	pH of <i>Nephelium lappaceum</i> seed	69
Table 4.4	Functional groups of <i>Nephelium lappaceum</i> seed analysis	73
Table 4.5	Comparison of previous and current studies for best pH values of various natural coagulant	87
Table 4.6	Comparison of optimum dosage of <i>Nephelium lappaceum</i> with other natural coagulants from previous studies	90

Table 4.7	Comparison of best pH value of current study with previous studies done for inorganic metal salts	95
Table 4.8	Comparison of previous and current studies for inorganic metal salts	97
Table 4.9	Summary of functional group for SnCl ₄ as sole coagulant	108
Table 4.10	Summary of functional group for SnCl ₄ as coagulant and <i>Nephelium lappaceum</i> seed as flocculant	110

List of Abbreviations

APLS	Alor Pongsu Landfill Site
BOD	Biochemical Oxygen Demand
COD	Chemical Oxygen Demand
SS	Suspended Solids
DO	Dissolved Oxygen
FESEM	Field Emission Scanning Electron Microscopy
FTIR	Fourier Transform Infrared Spectroscopy
HDPE	High Density Polyethylene
SnCl ₄	Tin tetrachloride
SVI	Sludge Volume Index
V _s	Sludge settling velocity
PZC	Point of Zero Charges
MLSS	Mixed Liquor Suspended Solids
NH ₃ -N	Ammonia-Nitrogen
TDS	Total Dissolved Oxygen
HCl	Hydrochloric Acid

**BIJI *NEPHELIUM LAPPACEUM* SEBAGAI BAHAN
PENGUMPAL/PENGELOMPOKAN SEMULA JADI DALAM OLAHAN
LARUT LESAPAN**

ABSTRAK

Penjanaan larut lesapan di tempat pelupusan sampah telah memberi banyak risiko pencemaran alam sekitar yang ketara kerana kandungannya yang berbahaya dan bertoksik boleh mendatangkan mudarat kepada ekosistem jika terus dilepaskan ke dalam alam sekitar. Bahan penggumpalan dan pengelompokan berasaskan kimia biasa digunakan dalam proses penggumpalan – pengelompokan. Akan tetapi, keburukan penggunaan bahan-bahan kimia telah menyebabkan para penyelidik mencari bahan-bahan semula jadi untuk menggantikan atau mengurangkan jumlah bahan penggumpal dan pengelompokan berasaskan kimia. Biji *Nephelium lappaceum* telah dipilih dalam kajian ini sebagai bahan penggumpal/pengelompok semula jadi untuk mengolah larut lesapan dari tapak pelupusan sampah Alor Pongsu (APLS). Keberkesanan biji *Nephelium lappaceum* ini ditentukan melalui satu siri ujian balang dengan mencari keadaan operasi yang terbaik (pH dan dos) untuk biji *Nephelium lappaceum* dan SnCl_4 sebagai bahan penggumpal. Prestasi penggumpalan dan pengelompokan diukur melalui kecekapan penyingkiran warna, pepejal terampai (SS), dan keperluan oksigen kimia (COD). Keputusan menunjukkan biji *Nephelium lappaceum* sebagai bahan penggumpal tunggal boleh menghapuskan 19.48% warna, 35.62% COD, dan 0% SS dalam kondisi yang terbaik iaitu pH 6 dengan dos 2 g/L. Sementara itu, SnCl_4 sebagai bahan penggumpal tunggal boleh memberikan peratusan penyingkiran yang tinggi iaitu 98.22% SS, 88.86% warna, dan 84.22% COD pada pH 7 dengan 10.50 g/L SnCl_4 .

Dengan membandingkan kecekapan penyingkiran oleh kedua-dua bahan penggumpal, biji *Nephelium lappaceum* tidak memberi kesan yang memuaskan, tetapi biji ini menunjukkan prestasi yang sangat baik dalam menghapuskan bahan pencemar sebagai bahan bantuan penggumpalan atau pengelompokan dengan SnCl_4 sebagai penggumpalan utama dan justeru dapat mengurangkan kepekatan SnCl_4 dari 10.50 g/L ke 8.40 g/L dengan dapat merawat 88.86% SS, 87.57% warna, dan 75.94% COD. Selain itu, keberkesanan biji *Nephelium lappaceum* dapat meningkatkan prestasi enap cemar dan kebolehan enapan. Biji *Nephelium lappaceum* meningkatkan saiz flok dari ketumpatan flok, penganapan halaju enap cemar dan juga indeks isipadu enap cemar. Kesimpulannya, biji *Nephelium lappaceum* mempunyai potensi untuk digunakan sebagai pengelompokan semula jadi dengan bahan penggumpalan berasaskan kimia untuk mengolah larut lesapan dari tapak pelupusan sampah dan ini boleh mengurangkan penggunaan bahan penggumpalan berasaskan kimia dan meningkatkan prestasi penganapan enap cemar.

***NEPHELIUM LAPPACEUM* SEED AS NATURAL COAGULANT/FLOCCULANT IN LANDFILL LEACHATE TREATMENT**

ABSTRACT

Landfill leachate produced from landfilling has caused pollution risk to environment due to the harmful and toxic content if directly discharged into environment. Chemical based coagulants and flocculants are commonly used in coagulation – flocculation process. However, the drawbacks of using these chemical materials have triggered researchers to find natural materials to substitute or reduce the amount of chemical based coagulants and flocculants. *Nephelium lappaceum* seed has been chosen in this study as natural coagulant/flocculant to treat landfill leachate from Alor Pongsu Landfill Site (APLS). The effectiveness of the seed was determined through a series of jar tests by finding the best operational conditions (pH and dosages) for *Nephelium lappaceum* seed and SnCl₄ as coagulant. The performance of coagulants was measured through the removal efficiencies of colour, suspended solids (SS), and chemical oxygen demand (COD). Results indicated that *Nephelium lappaceum* seed as sole coagulant could remove 19.48% of colour, 35.62% of COD, and 0% of SS at the best conditions which is pH 6 with dosage of 2 g/L. Meanwhile, SnCl₄ as sole coagulant could remove high percentage of pollutants which is 98.22% of SS, 88.86% of colour, and 84.22% of COD at pH 7 with 10.50 g/L of SnCl₄. *Nephelium lappaceum* seed is not effective as SnCl₄ when used as sole coagulant, but it shows excellent performance in removing pollutants as flocculant with SnCl₄ as primary coagulant and thus, has accomplished the aim of reducing the amount of SnCl₄ from 10.50 g/L to 8.40 g/L with removal efficiencies of 88.86% colour, 87.57% SS, and 75.94% COD. Besides

that, the effectiveness of *Nephelium lappaceum* seed can be further proven with sludge performance and settleability. *Nephelium lappaceum* seed helps in improving the sludge performance and settleability by increasing flocs size, density of flocs, sludge settling velocity as well as sludge volume index. In conclusion, *Nephelium lappaceum* seed has a potential to be used as natural flocculant with chemical based coagulant to treat landfill leachate treatment and this could reduce the usage of chemical based coagulant and improve the sludge settling performance.

CHAPTER 1

INTRODUCTION

1.1 Research Background

Solid waste management has become a major concern in the world, especially in developing countries. This is due to solid waste generation that keeps increasing year by year corresponding to the growth of population, economic prosperity, and rapid urbanization (Ho et al., 2017). It is about 95% of solid waste generated has been dumped in landfill (Bashir et al., 2010). Malaysia highly depends on landfilling as a main waste disposal method due to the simple disposal procedure and low cost as compared to other disposal methods such as incineration and anaerobic waste treatment (Moh and Latifah, 2017) However, this kind of disposal method has led to overflowing of landfill that may pollute the surrounding environment with its toxicity.

Landfill leachate is a complex wastewater generated when water percolates through solid waste at landfill that may contain high concentrations of biodegradable and non – biodegradable organic matters, ammonia nitrogen, phosphate, colour, and suspended solid (Ching et al., 2011). Disposal of raw leachate directly without undergoing any treatment could cause soil, surface and groundwater contamination, which indirectly would affect living organisms, including degeneration of human health. For that reason, Malaysian government has enforced environmental rules and regulations that require landfill leachate to be treated and monitored prior discharge. This was done to prevent contamination of water resources and reduce the harmful impacts of landfill leachate to the environment.

Several treatments that are used to treat wastewater and water have been employed to treat landfill leachate. For instance, biological treatment, chemical treatment, coagulation – flocculation, and reverse osmosis that are commonly used in wastewater treatment have been applied in landfill leachate treatments to minimize the contaminants and reduce the negative impacts on the environment (Aziz et al. 2011). However, some of these treatments are not suitable to be used in certain landfill leachate due to the variability of leachate characteristics. Moreover, landfill age also plays an important role in deciding suitable treatment methods due to the changes of leachate characteristics (Zin et al., 2013). Young landfill leachate releases large amount of volatile fatty acid content and can be characterized by high BOD which is more than 10 g/L and high ratios of BOD/COD (>0.7) (Kurniawan et al., 2006). Therefore, the most suitable treatment to be used for young landfill leachate is biological method due to its high concentration of biodegradable substances in the landfill leachate (Comstock et al., 2010). On the other hand, matured and stabilized landfill leachate has high strength of COD (500 - 4500 mg/L), pH higher than 7.5, and low biodegradability ($\text{BOD/COD} < 0.1$) (Bashir et al., 2010). During this phase, chemical and physical treatments are the best methods to be used, as biological treatment is ineffective in removing pollutants.

Coagulation – flocculation process is a typical physico – chemical treatment process that is broadly used in most raw water and industrial wastewater treatment. This process involves the mechanisms of destabilization of colloidal particles by adding coagulants and promoting agglomeration of flocs (Teh et al., 2014). Generally, inorganic coagulants are used in the coagulation – flocculation process, such as alum, polyaluminium chloride (PAC), ferrous sulfate, and ferric chloride (Mojiri et al., 2014). Inorganic metal salts are effective pollutant removal, but due to the increasing

awareness on toxicity from excessive use of inorganic coagulants, there have been many studies conducted to alternatively replace or reduce inorganic coagulants with natural coagulant or flocculant in wastewater treatment (Antov et al., 2012). Nevertheless, these natural coagulants are still not commonly used in landfill leachate treatment even though they are biodegradable, eco-friendly, low in price, as well as abundant in source.

1.2 Problem Statement

Landfill leachate is rich in chemical oxygen demand (COD), colour, suspended solids (SS), and heavy metals (Mojiri et al., 2014). Therefore, landfill leachate needs to be treated before being discharged into the environment. Untreated landfill leachate may deteriorate the quality of receiving water bodies, such as lake, river, and stream, near the landfill sites.

The Malaysian legislation has consented a list of parameters of landfill leachate discharge limit in Environmental Quality (Control of Pollution from Solid Waste Transfer Station and Landfill) Regulations 2009. The concentrations of SS, colour, and COD in landfill leachate are often found to be multiple times higher than the permissible discharge limit (Zakaria et al., 2015). Hence, these parameters need to be lowered within the range of permissible discharge limit before being discharged into the environment.

There are various treatments of landfill leachate, including biological and physico-chemical treatments. Alor Pongsu Landfill Site (APLS) is a mature and stabilize landfill which has no treatment applied on its landfill leachate. Physico-chemical treatment is more suitable to be used in this kind of landfill leachate as it has low BOD content (Ghafari et al., 2010). Coagulation – flocculation is one of the physico-chemical treatment methods that has been used widely in water, wastewater and landfill leachate treatment. Coagulation – flocculation process is commonly practiced using inorganic metal salts as coagulant/flocculant. However, excessive usage of these inorganic metal salts may cause adverse effects to the environment and pose a risk to human health (Renou et al., 2008). Therefore, it is vital to develop and utilize natural coagulants/flocculants for landfill leachate treatment in order to reduce and eliminate the adverse effects to the living organisms and environment.

Malaysia is one of the tropical countries that is rich with various kinds of fruits. Thereby, many food industries take advantage of this richness by producing canned fruits. *Nephelium lappaceum* canning industry is well-established in Malaysia and Thailand, and this industry involves the production of *Nephelium lappaceum* fruits in syrup (Abidin et al., 2014). During the canning process, *Nephelium lappaceum* fruits are deseeded and the seeds are usually disposed, thus becoming wasted by-products. Therefore, utilization of *Nephelium lappaceum* seed is needed in order to improve sustainability of the fruit canning industry waste management, as well as reducing solid waste generation. There was a preliminary study done on *Nephelium lappaceum* seed polysaccharide as natural coagulant in treating turbidity of water (Abidin et al., 2014), but there is no study done to date to test the usage of *Nephelium lappaceum* seed as natural coagulant or flocculant in treating landfill leachate.

Therefore, this leaves a research gap that must be filled, which triggered the interest to study on the effectiveness of *Nephelium lappaceum* seed as coagulant or flocculant in landfill leachate treatment. In this research, the investigation on *Nephelium lappaceum* seed covers the usage of the seed as sole coagulant, and as flocculant with SnCl_4 as coagulant to remove SS, colour, and COD from landfill leachate.

1.3 Objectives

This research aims to determine the effectiveness of using *Nephelium lappaceum* seed as coagulant/flocculant in removing colour, suspended solid (SS), and chemical oxygen demand (COD) in landfill leachate treatment. In order to accomplish this, the following objectives are outlined:

- 1) To investigate the characteristics of *Nephelium lappaceum* seed as coagulant/flocculant in term of pH, particle size, molecular weight, zeta potential, functional groups, surface morphology
- 2) To determine the best operational conditions (pH and dosage) of *Nephelium lappaceum* seed and SnCl_4 as coagulants for treating landfill leachate by evaluating and comparing the performance of the treatment in terms of colour, COD, and SS

- 3) To investigate the possibility of reducing the quantity of Tin (iv) chloride (SnCl_4) as primary coagulant in the presence of *Nephelium lappaceum* seed as flocculant
- 4) To examine the performance of sludge formed in coagulation – flocculation process by using SnCl_4 as coagulant with and without the aid of *Nephelium lappaceum* seed as flocculant at the best operational conditions.

1.4 Scope of Work

The research focuses on determining the efficiency of natural material (*Nephelium lappaceum* seed) as an alternative coagulant or flocculant besides metal salts materials that are currently widely used, such as alum and PAC in landfill leachate treatment. The research was done by conducting laboratory tests to achieve the main research objective. Leachate samples were taken from Alor Pongsu Landfill Site (APLS), which is located in Perak. Characteristics of the leachate samples on their chemical and physical properties were observed for four months, which is from January to April 2017. The effectiveness of coagulant was evaluated through removal of chemical oxygen demand (COD), suspended solids (SS), and colour from landfill leachate. The best operational conditions of coagulation were identified through determination of optimum pH and optimum dosage of both *Nephelium lappaceum* seed and SnCl_4 . The evaluation was made through jar test operation that mimicked the coagulation process in the treatment plant. The jar test process involved rapid mixing, slow mixing, and settlement with different time limit. These three operations were derived from similar past studies. Sludge formed resulting from the coagulation

process at best operational conditions of two coagulants was evaluated based on sludge settling rate, sludge volume index, functional groups, floc size, density, and surface morphology.

1.5 Dissertation Outline

The dissertation consists of five chapters. Chapter 1 comprise the introduction to this project, which includes background of the present study, problem statement, objectives, and scope of the study. Chapter 2, focuses on literature review, and similar past studies done on topics related to the present study, which include studies and articles on solid waste management in Malaysia, coagulation – flocculation process in treating landfill leachate, and natural coagulants. Chapter 3 stipulates the methodologies used in this research. This chapter describes the details on the research design and procedures of the experiment. Chapter 4 contains comprehensive discoveries, analysis, and results gained from the present study. Elaboration and details on the findings are covered in this chapter as well. The last chapter, which is Chapter 5, presents the overall conclusion to the research findings. It also includes useful and beneficial recommendations for future research work improvement and enhancement.

CHAPTER 2

LITERATURE REVIEW

2.1 Solid waste management

Solid waste management refers to all activities and actions required to manage solid waste from its inception to its final disposal stage including collection, transportation, waste treatment and disposal of solid waste, together with monitoring and regulation of disposal (UNSD, 1997). It also comprises the legal and regulatory framework that relates to solid waste management. Hence, solid waste management is an obligation placed upon everyone in reducing the adverse effects of waste on health, environment, and aesthetic values.

However, solid waste management has become a crucial issue to be solved as the volume of solid waste generated keeps on increasing every year due to many factors in particularly the growth of population and economic activities. The increase in world population causes global urbanization and economic expansion of developing countries, which in turn contributes to the accelerated increase of rate of solid waste production. According to a recent study by World Bank (2012), the global solid waste generation is estimated to be 1.3 billion tonnes per year or an average of 1.2 kg/capital/day.

However, it can be seen that the waste generation rates per capita differ across countries and cities depending on the level of urbanization and economic wealth. For example, developing countries such as North America and European Union produced high generation of solid waste, and it is expected that Asia, Latin America, and South